



SPECIFICATION, INSTALLATION AND OPERATION SHEET

YOUR ALUMINUM DOGIPOT® JUNIOR BAG DISPENSER INCLUDES:

- Aluminum **DOGIPOT®** JUNIOR Bag Dispenser
- Mounting hardware for 1 3/4" x 1 3/4" to 2" x 2" square or channel post, (two (1) 2 1/2" x 1/4" bolts, washers and locknuts)
- Two (2) keys for dispenser locking front access panel
- Two (2) rolls of OXO-BIODEGRADABLE **DOGIPOT®** Litter Pick Up Bags (ITEM #1402) (200 count per roll), installed in **DOGIPOT®** JUNIOR Bag Dispenser

PLEASE CHECK THE ABOVE INVENTORY AND CALL YOUR DISTRIBUTOR IF ANY PARTS ARE MISSING.

INSTALLATION AND OPERATION INSTRUCTIONS

1. Select a good visible spot in your community or park where you want to install the Aluminum **DOGIPOT®** JUNIOR Bag Dispenser, such as on a post, building wall, tree, fence post, street sign post, etc. The recommended installation height of the Aluminum **DOGIPOT®** JUNIOR Bag Dispenser is 60" (5').

2. Remove the two keys from the back of the dispenser. Insert key into the universal cam lock on the front access panel and turn one quarter to the right or left. Pull the lower part of the front access panel approximately 2" towards you and lift to release and separate the front access panel from the body of the Dispenser.

3. The Dispenser has two pre-drilled holes through the back wall. These two holes and the mounting hardware included match with the holes of every standard channel or square telescopic mounting post.

4. To refill the Dispenser with OXO-BIODEGRADABLE **DOGIPOT®** Litter Pick Up Bags, take two (2) boxed rolls, and tear off the perforated seal from each box. Place the two boxes on top of each other on the shelf in the body of the Dispenser with the opening of the boxes facing the front. Reinstall the front locking access panel and lock with the cam lock key.

5. Reach through the two diamond shaped openings and find the raw edge of the first bag through each of the slots and pull until the **DOGIPOT®** logo is visible.

6. ENJOY WATCHING PET OWNERS PICK UP AFTER THEIR DOGS!



SPECIFICATION, INSTALLATION AND OPERATION SHEET

- **ALUMINUM DOGIPOT® JUNIOR BAG DISPENSER (ITEM #1002-2)**

- H: 15.5" x W: 9.4" x D: 3.25"
- 12 gauge powder coated forest green aluminum
- Weight: 7 lbs.
- 400 bag capacity
- Two diamond shaped bag dispenser slots
- Front locking access panel
- Clearly posted instructions

- **DESIGNED TO MOUNT ON 2" X 2" STEEL SQUARE OR CHANNEL POST**

- Mounting hardware included

- **CAN ALSO BE MOUNTED ON FENCE, WALL AND WOOD POST**

- Hardware not included

- **TWO (2) ROLLS OF OXO -BIODEGRADABLE DOGIPOT® LITTER PICK UP BAGS**

- 200 count per roll

TOTAL SHIP WEIGHT: 7 LBS.



INCLUDES:

- ALUMINUM DOGIPOT JUNIOR BAG DISPENSER
- MOUNTING HARDWARE FOR 1 3/4" X 1 3/4" TO 2" X 2" SQUARE OR CHANNEL POST, (TWO 2 1/2" X 1/4" BOLTS, WASHERS AND LOCKNUTS)
- TWO KEYS FOR DISPENSER LOCKING FRONT ACCESS PANEL
- TWO ROLLS OF DOGIPOT LITTER PICK UP BAGS (ITEM #1402), INSTALLED IN DOGIPOT JUNIOR BAG DISPENSER

DOGIPOT JUNIOR BAG DISPENSER (ITEM #1002-2):

- H: 15.5" X W: 9.4" X D: 3.25"
- 12 GAUGE POWDER COATED FOREST GREEN ALUMINUM
- WEIGHT: 7 LBS
- 400 BAG CAPACITY
- TWO DIAMOND BAG DISPENSER SLOTS
- FRONT LOCKING ACCESS PANEL
- CLEARLY POSTED INSTRUCTIONS

MOUNTING:

- DESIGNED TO MOUNT ON 2" X 2" STEEL SQUARE OR CHANNEL POST. MOUNTING HARDWARE INCLUDED.
- CAN ALSO BE MOUNTED ON FENCE, WALL AND WOOD POST. HARDWARE NOT INCLUDED.

TOTAL SHIP WEIGHT: 7 LBS.



ELEVATION

NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. DO NOT SCALE DRAWING.
3. THIS DRAWING IS INTENDED FOR USE BY ARCHITECTS, ENGINEERS, CONTRACTORS, CONSULTANTS AND DESIGN PROFESSIONALS FOR PLANNING PURPOSES ONLY. THIS DRAWING MAY NOT BE USED FOR CONSTRUCTION.
4. ALL INFORMATION CONTAINED HEREIN WAS CURRENT AT THE TIME OF DEVELOPMENT BUT MUST BE REVIEWED AND APPROVED BY THE PRODUCT MANUFACTURER TO BE CONSIDERED ACCURATE.
5. CONTRACTOR'S NOTE: FOR PRODUCT AND COMPANY INFORMATION VISIT www.CADdetails.com/info AND ENTER REFERENCE NUMBER 2635-002.