



Parts List


ITEM NO.	PartNo	DESCRIPTION	QTY
1	T-V144H-T	12' ADA Expanded Table Top	2
2	T-V60-S	10' Expanded Seat (1/2)	4
3	P-V238	238 Vinyl Frame	3
4	33-02-0007	5/16" Flat Washer (SS)	62
5	33-05-0029	5/16" x 1" Machine Bolt (SS)	31
6	33-03-0012	5/16" Kep Nut (SS)	31
7	P-01-04-0125	29 7/8" Brace	3
8	P-01-04-0219	32 3/4" Brace	1

Optional Surface Mount Hardware:
5/16" x 5" Concrete Expansion Anchor Bolts
(Not Included)





Dimensions



Hardware Included



Tools Required



WARRANTY: OCCOutdoors, Inc. guarantees all items for one full year to be free of defects in workmanship or materials when installed and maintained properly. We agree to repair or replace, any items determined to be defective. Items specifically not covered by this warranty include vandalism, manmade or natural disasters, lack of maintenance, normal weathering or wear and tear due to public abuse.

NOTES:

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. ALL DIMENSIONS ARE CONSIDERED TRUE AND PERFECT MANUFACTURER'S SPECIFICATIONS
3. DO NOT SCALE DRAWING.

This document contains OCC Outdoors Proprietary Information. No intellectual copyright or license is granted by OCC Outdoors in connection with it. It is delivered on the express condition that the document and the information contained in it shall be treated as confidential, shall not be used for and purpose other than that for which it is hereby delivered (the use and maintenance of the product supplied). It shall not be disclosed in whole or part to third parties and shall not be duplicated in any manner without OCC Outdoors's prior approval.

OCC Outdoors Products

PH: 1-800-821-7670


EMAIL - occcontact@occoutdoors.com

Fax: 1-317-862-942

Part #: OCC-238H-3-V12

Date: 2/25/2020 Page 1 of 3

OCC-238H-3-V12 Extra Heavy Duty 12' Walk Through Design ADA Table with Thermoplastic Coated Diamond Pattern Top and Seats, Powder Coated Frame, Portable or Surface Mount.



Assembly Step 1:

Attach the 238 Legs to the table tops as shown using specified hardware.

Assembly Step 2:

Attach the seats to the 238 Legs as shown using specified hardware.

Assembly Step 3:

Attach the braces to the legs as shown using specified Hardware.



A

B

C

D

Specifications

12' ADA ACCESSIBLE PICNIC TABLE WALK-THROUGH DESIGN

Top & Seats: 11 Gauge die formed angle frame 1" x 1-7/8" with 3 radius corners. 3/4" #9 steel expanded metal. 7 gauge x 1-1/2" flat Bar Mechanical performance, impact resistance and UV Stability.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Cross braces 1" O.D. x 16 gauge pre-galvanized structural steel tubing. Brace attachment points 1-1/2"x1-1/2"x3/16" steel angle. Seat and top mounting points 7 gauge x 1-1/2" die stamped steel flat bar. Legs are bent over a mandrel through the bend radius producing a wrinkle free bend. All electrically MIG welded. Frame Coating: Electrostatic powder coated application oven cured. Hardware: All stainless steel hardware fasteners.

Dimensions: 10' portable picnic table walk-through design. Top is 30" wide x 120" long and is 30" high. Seats are 12" wide x 42" long and 18" high. Distance between seats is 36". Outside to outside dimension is 69" x 120".

