
4 Foot Deluxe Park Bench


For Fastener Pack (FP-DB4B-CU-02)




Congratulations!!

You have just purchased the finest recycled plastic park bench available. Enjoy!!!

Before assembly, please make sure all components are included.



FP - Fastener Pack




•	A Thomas Thomas	•
•	A - Bench Board	•
•	A - Bench Board	•
•		•
•	A - Bench Board	•
•		•
•	A - Bench Board	•
•		•
•	A - Bench Board	•
•		•
•	A - Bench Board	•
•		•
•	A - Bench Board	•
•		•

(7) - Seven Bench Boards BP-DB4B-A-02


Before assembly, please make sure all fasteners are included.

28 - #12 x 3" Flat Head Phillips Screw



Also needed for this assembly will be the following materials:


1 - #3 Phillips Drive Bit



Step #1:

Stand (1) One bench end upright and place (1) One bench board on position 1 being sure to align the pre-drilled holes to the pilot holes in the bench end. After the holes are properly aligned, fasten with (1) One #12 x 3" Flat Head Phillips Screw in the top pre-drilled hole.

Note: Do not tighten screw completely. This will be done in a later step.



Step #2:


Stand the other bench end upright and place the bench board already attached to the first bench end, on position 1 being sure to align the pre-drilled holes to the pilot holes in the bench end. After the holes are properly aligned, fasten with (1) One #12 x 3" Flat Head Phillips Screw in the top pre-drilled hole.

Note: Do not tighten screws completely. This will be done in a later step.

Step #3:


Align bottom pre-drilled holes to the pilot holes in the bench end. After the holes are properly aligned, fasten with (1) One #12 x 3" Flat Head Phillips Screw per hole.

Note: Be sure to tighten screws completely after this step.



Step #4:

Place a second bench board on position 7. Repeat Steps 1 - 3 to attach. Use (1) One #12 x 3" Flat Head Phillips Screw per hole to fasten.



Step #5:

Repeat Steps 1 - 3 to attach bench boards on positions 2, 3, 4, 5 & 6. Use (1) One #12 x 3" Flat Head Phillips Screw per hole to fasten.